


SCREEN FABRICS

LIGHT UNDER YOUR CONTROL


www.ekookna.com


Soltis 7635 5%


7635-52144 Antracite grey



7635-52143 Deep black



7635-52107 Charcoal/Charcoal RAL 7021



7635-52106 Grey/Charcoal



7635-52142 Grey/White



7635-52105 Grey/Grey RAL 7037



7635-52176 Sand/Sand RAL 1019



7635-52101White/White RAL 9003



7635-52102 White/Pearl



7635-52182 Charcoal/Bronze


7635-52103 Pearl/Pearl RAL 7038


7635-52171 White/Sand


7635-52174 Linen/White


7635-52104 Pearl/Grey


7635-52173 Linen / Linen


openness factor
5%



fibreglass **42%**
PVC **58%**



weight
515 g/m²



thickness
0,73 mm



fire classification
EN13501-1 c-s3,d0


Soltis 92 Opaque Alu 0%



100% **BlackOut**



B92-1044 White/Alu



B92-2171 Boulder/Alu


B92-2135 Sandy beige/Alu


B92-1046 Alu/Alu


B92-1045 Beaten metal/Alu


B92-1043 Bronze/Alu


B92-51176 Deep black/Alu


openness factor
0%


polyester ~**45%**
PVC ~**55%**



weight
650 g/m²


thickness
0,60 mm


fire classification
EN 13501-1 b-s2,d0


Serge 600 5%



030030 Pure black



001061 White - pearl - gray


047047 Anthracite grey


011011 Bronze


001003 Grey - sand


001010 Grey - charcoal


033001 Oyster - shell

003002 Sand - white

007002 Pearl grey

033032 Soft clay

openness factor
1%

polyester **30%**
PVC **70%**

weight
470 g/m²

thickness
0,75 mm

Bamar - Pol BSC II 1%

BSC-201-01 White

BSC-202-01 Ecru

BSC-203-01 Light Gray

BSC-205-01 Gray

BSC-206-01 Dark Gray


BSC-210-01 Graphite


BSC-210-01 Black


BSC-210-01 Anthracite


Soltis 92 Color 4%



92-2044 White



92-2175 Champagne



92-2135 Sandy beige



92-2043 Bronze


92-50265 Hemp



92-50303 Quartz


92-50272 Cloud


92-2171 Boulder



92-2167 Concrete



92-2047 Antracite


92-2045 Beaten - Metal


92-51176 Deep black


92-2051 White / ALU


92-2048 ALU / ALU


92-2074 Medium Grey / ALU


openness factor
4%


polyester ~**25%**
PVC ~**75%**


weight
420 g/m²



thickness
0,45 mm


fire classification
EN 13501-1 b-s2,d0


Serge 1%


002002 White


008008 Linen


002007 White pearl - grey



007007 Pearl grey


001002 Grey - white


001001 Grey


011011 Bronze


010010 Charcoal


001010 Grey - charcoal


openness factor
1%


fibreglass **42%**
PVC **58%**



weight
620 g/m²



thickness
0,80 mm



fire classification
EN 13501-1 c-s3,d0


Serge BO Lunar 0%


100% **BlackOut**


002002BO White


002007BO White - pearl grey


007007BO Pearl grey


001002BO Gray white


033001BO Oyster shell


001001BO Grey

001010BO Grey - charcoal

010010BO Charcoal - charcoal

openness factor
0%

fibreglass **33%**
PVC **47%**
PVC Foil Laminate **20%**

weight
678 g/m²

thickness
0,73 mm

BSC 5%

BSC-101-05 White

BSC-105-05 Grey

BSC-106-05 Dark Grey

BSC-111-05 Black

openness factor
5%

polyester **30%**
PVC **70%**

weight
520 g/m²

thickness
0,75 mm

BSC II 0%

BSC-201-00 White

BSC-203-00 Light Grey

BSC-210-00 Graphite

openness factor
0%

polyester **22%**
PVC **78%**

weight
610 g/m²

thickness
0,82 mm

BSF 5%


BSF-101-05 White


BSF-111-05 Black


openness factor **5%**

fibreglass **30%**
PVC **70%**

weight **740 g/m²**

thickness **0,58 mm**


BSF II 5%


BSF-214-05 Grijs


BSF-218-05 Antracyt


BSF-201-05 White


BSF-203-05 Linen


BSF-2015-05 Dark Beige


BSF-216-05 Bronze


BSF-217-05 Charcoal



BSF-219-05 Pure Black

openness factor **5%**

fibreglass **42%**
PVC **58%**

weight **475 g/m²**

thickness **0,67 mm**






Select for: Heroal VS Z


The roller shutter is typically installed in front-mounted (adaptive) boxes, including reversed configurations, compatible with joinery equipped with external handles or similar elements. It is also available in a flush-mounted (under-plaster) version. The maximum surface area of a single roller shutter is up to 18 m².

Front-mounted box




BOX	A	B	C
9.5	95mm	94,6mm	58mm
10.5	105mm	104,6mm	68mm
12.5	125mm	125,6mm	88mm

Guide rails




HL_002




HL_002

Bottom slats




Typ II




Typ III

Reversed system box




BOX	A	B	C
10.5	105,4mm	104,6mm	68,2mm
12.5	125mm	125,6mm	88,2mm

Guide rails




HL_003

Bottom slats




Typ II



Typ III

Concealed box




BOX	A	B	C	D
10.5	105mm	104,6mm	60,7mm	20mm
12.5	125mm	125,6mm	80mm	20mm

Guide rails




HL_004

Bottom slats



Typ II




Typ III



Select for: Screen XT

The Screen XT top-mounted boxes, available in three variants, feature extensive thermal insulation, ensuring their presence will not negatively affect the thermal comfort of the interiors. They can also be delivered to the customer pre-fitted to the window.




NEO XT 260

A	B	C
270mm	260mm	51mm
300mm	260mm	51mm
365mm	260mm	51mm


NEO XT 290

A	B	C
270mm	290mm	51mm
300mm	290mm	51mm
365mm	290mm	51mm


Guide rails




Expert XT




Elite XT



Guide rails



Guide rails





www.ekookna.com



For detailed product specifications, please get in touch with your Eko-Okna sales representative.

e-mail:
quoteuk@ekookna.com

tel.:
+48 32 459 15 00

Eko-Okna S.A.
Kornice, ul. Spacerowa 4
47-480 Pietrowice Wielkie

Product images are for illustrative purposes only and do not constitute a commercial offer within the meaning of the Civil Code. The thermal performance parameters shown depend on product dimensions. For detailed product specifications, please get in touch with your Eko-Okna sales representative.